Author Index

Abdallah, S. M.	Using geometric shape variations to create an inverse model for a sheet metal process	1665–1675
Abdel-Shafy, A. A.	An application of computer vision for programming computer numerical control machines	1315–1324
Ahmad-Zadeh, G. R.	Hybrid genetic design of GMDH-type neural networks using singular value decomposition for modelling and prediction of the explosive cutting process	779–790
Allen, D. M.	The state of the art of photochemical machining at the start of the twenty-first century	643–650
Armarego, E. J. A.	Multi-constraint optimization and cutting conditions selection in process planning turning operations with modern chip breaker tools	57–71
Arndt, G.	A review of current research on disassembly sequence generation and computer aided design for disassembly	299–312
Ashfold, M. N. R.	The ductile grinding of glass using diamond fibres oriented radially in a grinding wheel	387–396
Axinte, D.	A multicriteria model for cutting fluid evaluation	1341–1354
Axinte, M.	A multicriteria model for cutting fluid evaluation	1341–1354
Azodi, H. D.	Finding the optimum Hill index in the determination of the forming limit diagram	1677–1683
Bae, K.-Y.	A hybrid scheme incorporating stereo-matching and shape-from-shading for spatial object recognition	1533–1542
Banerjee, A. G.	Maximization of slice height with uniformity in surface roughness in the direct slicing of freeform surfaces	765–778
Barnes, C. J.	A pragmatic approach to interactive assembly sequence evaluation	541–550
Benhabib, B.	A hybrid scheme incorporating stereo-matching and shape-from-shading for spatial object recognition	1533–1542
Bianchi, E. C.	Evaluation of grinding fluids in the grinding of a martensitic valve steel with CBN and alumina abrasives	1047–1056
Bigot, R.	A contribution to technological data estimation for concurrent engineering using geometrical control of net shape forming parts	661–668
Billett, E.	Development of a method for calculating the environmentally optimum lifespan of electrical household products	1521–1531
Bonney, J.	Burr formation in face milling of cast iron with different milling cutter systems	1589–1596
Borsoi, C. A.	Determination of the formability of stainless steel sheets using the technological proofing method	1253–1258
Bramall, D. G.	Assessing the manufacturability of early product designs using aggregate process models	1203–1214
Bramall, D. G.	Dynamic and distributed early planning assessment by a hybrid simulated annealing and greedy algorithm	1429–1442
Bramall, D. G.	An aggregate resource model for the provision of dynamic 'resource-aware' planning	1471–1480
Brissaud, D.	A model of milled surface generation for time domain simulation of high-speed cutting	919–930
Brown, N.	Automatic gravure print feature determination at production speeds	1101–1110
Brown, N. J.	Implementation strategies for design for manufacture methodologies	827–834
Buchholz, A.	Enhanced product functionality with life cycle units	1197–1202
Burns, N. D.	Decision making in conceptual engineering design: an empirical investigation	1215–1228
Cardew-Hall, M. J.	Using geometric shape variations to create an inverse model for a sheet metal process	1665–1675
Casalino, G.	Deformation prediction and quality evaluation of the gas metal arc welding butt weld	1615–1622
Chaieb, I.	Intra-cell machine layout associated with flexible production and transport systems	883–898
Chalkley, A. M.	Development of a method for calculating the environmentally optimum lifespan of electrical household products	1521–1531
Chan, F. T. S.	An integrated fuzzy decision support system for multicriterion decision-making problems	11–27
Chan, F. T. S.	The effects of scheduling flexibility on the performance of a flexible manufacturing system	899–918
Chan, H. K.	An integrated fuzzy decision support system for multicriterion decision-making problems	11–27
Chan, K. W.	A high-efficiency rough milling strategy for mould core machining	335–348
Chan, L. C.	The effects of tool geometry change on shearing edge finish in fine-blanking of different materials	1057–1062

© IMechE 2003

Chan, M. H.	An integrated fuzzy decision support system for multicriterion decision-making problems	11–27
Chandrasekar, S.	Experimental characterization of superfinishing	941–952
Chang, S.-H.	Experimental characterization of superfinishing	941–952
Chapman, P.	Dynamic and distributed early planning assessment by a hybrid simulated annealing and greedy algorithm	1429–1442
Chapman, P.	An aggregate resource model for the provision of dynamic 'resource-aware' planning	1471–1480
Chatha, K. A.	An approach to modelling dependencies linking engineering processes	669–688
Chattopadhyay, A. B.	Turning of titanium alloy with TiB_2-coated carbides under cryogenic cooling	1697–1707
Chen, C.-J.	Formation of the breaking surface of alumina in laser cutting with a controlled fracture technique	489–497
Chen, C.-K.	Quality assurance for concave-arc ball-end milling cutters	181–191
Chen, D.-C.	Analysis of the deformation mechanism of void generation and development around inclusions inside the sheet during sheet rolling processes	1373–1382
Chen, W.-C.	Analysis and finite element simulation of tube expansion in a rectangular cross-sectional die	127–135
Chen, W.-F.	Quality assurance for concave-arc ball-end milling cutters	181–191
Cheng, C. H.	The effects of tool geometry change on shearing edge finish in fine-blanking of different materials	1057–1062
Cheung, C. F.	Friction-induced fluctuation of cutting forces in the diamond turning of aluminium single crystals	615–632
Cheung, C. F.	Computer-integrated optics design and tool path generation in virtual machining of aspheric surfaces	1285–1294
Chin, K.-S.	Concurrent metal stamping part and die development system	805–826
Chiu, W. K.	A high-efficiency rough milling strategy for mould core machining	335–348
Cho, J. R.	Dynamic distortion measurements during laser forming of Ti–6Al–4V and their comparison with a finite element model	1685–1696
Cho, Y.	Resistence spot welding of aluminium and steel: a comparative experimental study	1355–1364
Choi, D.-H.	A study on the numerical analysis of magnetic flux density by a solenoid for magnetically impelled arc butt welding	1401–1408
Choi, J. J.	Flatness adaptive control of a hot strip in finishing mills	1243–1252
Choo, W. Y.	Prediction of the wear profile of a roll groove in rod rolling using an incremental form of wear model	111–126
Clifton, D.	Characterization and representation of non-ideal effects in electrochemical machining	373–385
Cogun, C.	Analysis of wire erosion and workpiece surface roughness in wire electrical discharge machining	633–642
Çoğun, C.	Development of a multi-attribute selection procedure for non-traditional machining processes	993–1010
Cramez, M. C.	Optimization of the rotational moulding process for polyolefins	323–334
Crawford, R. J.	Optimization of the rotational moulding process for polyolefins	323–334
Crivellaro, R. S.	Determination of the formability of stainless steel sheets using the technological proofing method	1253–1258
Crossland, R.	The practical application of design risk assessment models	227–234
Culley, S. J.	Sustaining changeover improvement	1455–1470
Dabrowski, L.	Study of electrical discharge machining using powder-suspended working media	1597–1602
Dalgarno, K. W.	Processing conditions and mechanical properties of high-speed steel parts fabricated using direct selective laser sintering	1651–1663
Dariani, B. M.	Finding the optimum Hill index in the determination of the forming limit diagram	1677–1683
Darvizeh, A.	Hybrid genetic design of GMDH-type neural networks using singular value decomposition for modelling and prediction of the explosive cutting process	779–790
da Silva, E. J.	Evaluation of grinding fluids in the grinding of a martensitic valve steel with CBN and alumina abrasives	1047–1056
Davidson, J.	Total quality management versus business process re-engineering: a question of degree	1–10
de Aguiar, P. R.	Evaluation of grinding fluids in the grinding of a martensitic valve steel with CBN and alumina abrasives	1047–1056
Dearden, G.	Dynamic distortion measurements during laser forming of Ti–6Al–4V and their comparison with a finite element model	1685–1696
de Oliveira, J. F. G.	Evaluation of grinding fluids in the grinding of a martensitic valve steel with CBN and alumina abrasives	1047–1056
DeRosset, W. S.	Flow analysis and nozzle-shape optimization for the cold-gas dynamic-spray process	1603–1613
De Souza Júnior, A. M.	Burr formation in face milling of cast iron with different milling cutter systems	1589–1596

© IMechE 2003

Dewidar, M. M.	Processing conditions and mechanical properties of high-speed steel parts fabricated using direct selective laser sintering	1651–1663
Ding, H.	Distance function based algorithm for spatial straightness evaluation	931–940
Dixon, A. F.	The development of a fast and robust computer model for metal rolling	169–179
Djurdjanovic, D.	Bayesian approach to measurement scheme analysis in multistation machining systems	1117–1130
Dong, H.	Numerical simulation of heat transfer and fluid flow in a double-sided gas–tungsten arc welding process	87–97
Dong, J.	A review of current research on disassembly sequence generation and computer aided design for disassembly	299–312
Edwardson, S. P.	Dynamic distortion measurements during laser forming of Ti–6Al–4V and their comparison with a finite element model	1685–1696
Eladawi, A. E.	An application of computer vision for programming computer numerical control machines	1315–1324
Elewa, I. M.	An application of computer vision for programming computer numerical control machines	1315–1324
Elliott, A. C.	Decision making in conceptual engineering design: an empirical investigation	1215–1228
Elliott, A. C.	Managing product development resources through the use of product quality attribute mapping	1229–1242
Emmer, T.	Computer-based modelling of thermal distortions in turning	363–371
Epureanu, B. I.	An investigation of stability and pattern formation in reaming	269–281
Eversheim, W.	Concurrent metal stamping part and die development system	805–826
Ezugwu, E. O.	Burr formation in face milling of cast iron with different milling cutter systems	1589–1596
Farris, T. N.	Experimental characterization of superfinishing	941–952
Farrukh, C.	Development of a structured approach to assessing practice in product development collaborations	1131–1144
Farrukh, C. J. P.	Technology roadmapping—developing a practical approach for linking resources to strategic goals	1183–1196
Farrukh, C.	Managing product development collaborations—a process maturity approach	1499–1519
Fraser, P.	Development of a structured approach to assessing practice in product development collaborations	1131–1144
Fraser, P.	Managing product development collaborations—a process maturity approach	1499–1519
French, P.	Dynamic distortion measurements during laser forming of Ti–6Al–4V and their comparison with a finite element model	1685–1696
Furutani, K.	Pressure-based in-process measurement by the null method for automatic compensation of wheel wear during surface grinding	153–159
Gadelmawla, E. S.	An application of computer vision for programming computer numerical control machines	1315–1324
Galantucci, L. M.	Evaluation of rapid prototypes obtained from reverse engineering	1543–1552
Gao, D.	Computer-integrated optics design and tool path generation in virtual machining of aspheric surfaces	1285–1294
Gao, H.	Numerical simulation of heat transfer and fluid flow in a double-sided gas–tungsten arc welding process	87–97
Gao, W.	Computer simulation of a workpiece temperature field during the grinding process	953–960
Ge, P.-q.	Computer simulation of a workpiece temperature field during the grinding process	953–960
Ghasempoor, A.	Automatic adjustment of cutting conditions in rough turning	1393–1400
Gindy, N.	A survey of virtual prototyping techniques for mechanical product development	513–530
Girod, M.	Decision making in conceptual engineering design: an empirical investigation	1215–1228
Gregory, M.	Development of a structured approach to assessing practice in product development collaborations	1131–1144
Gregory, M.	Managing product development collaborations—a process maturity approach	1499–1519
Grujicic, M.	Flow analysis and nozzle-shape optimization for the cold-gas dynamic-spray process	1603–1613
Hagan, E.	A review of conventional and modern single-point sheet metal forming methods	213–225
Hagan, E.	Effect of wall angle of Al 3003 strain hardening for parts formed by computer numerical control incremental forming	1571–1579
Hägglund, S.	New procedure for optimizing cutting data for general turning	349–362
Hague, R.	Impact of rapid manufacturing on design for manufacture for injection moulding	453–461
Hand, D. P.	Dynamic distortion measurements during laser forming of Ti–6Al–4V and their comparison with a finite element model	1685–1696
Haque, B.	Lean engineering in the aerospace industry	1409–1420
Harris, J.	On the correlation of statistical and automatic process control	99–109

© IMechE 2003

Harrison, D.	Development of a method for calculating the environmentally optimum lifespan of electrical household products	1521–1531
Helfritch, D.	Flow analysis and nozzle-shape optimization for the cold-gas dynamic-spray process	1603–1613
Hemanth, J.	Effect of high-rate heat transfer during casting on the strength, hardness and wear behaviour of aluminium–quartz particulate metal matrix composites	651–660
Hennig, R.	Determination of the formability of stainless steel sheets using the technological proofing method	1253–1258
Hieu, N. T.	Pressure-based in-process measurement by the null method for automatic compensation of wheel wear during surface grinding	153–159
Hon, K. K. B.	A study of cutting forces and surface finish in high-speed machining of AISI H13 tool steel using carbide tools with TiAlN based coatings	143–151
Hong, W. K.	Flatness adaptive control of a hot strip in finishing mills	1243–1252
Hou, W.	Deformation prediction and quality evaluation of the gas metal arc welding butt weld	1615–1622
Howarth, P. S.	Characterization and representation of non-ideal effects in electrochemical machining	373–385
Hu, D.	Modelling and measuring the thermal behaviour of the molten pool in closed-loop controlled laser-based additive manufacturing	441–452
Hu, R. S.	An improved chip flow model considering cutting geometry variations based on the equivalent cutting edge method	1737–1745
Hu, S. J.	Resistence spot welding of aluminium and steel: a comparative experimental study	1355–1364
Hu, S. J.	Deformation prediction and quality evaluation of the gas metal arc welding butt weld	1615–1622
Huang, B. W.	Dynamic characteristics of a drill in the drilling process	161–167
Huang, H.	Ecological grinding with chilled air as coolant	409–419
Hwang, Y.-M.	Analysis and finite element simulation of tube expansion in a rectangular cross-sectional die	127–135
Hwang, Y.-M.	Analysis of the deformation mechanism of void generation and development around inclusions inside the sheet during sheet rolling processes	1373–1382
Jackson, M. R.	Automatic gravure print feature determination at production speeds	1101–1110
Jain, R. K.	Finite element simulation of abrasive flow machining	1723–1736
Jain, V. K.	Finite element simulation of abrasive flow machining	1723–1736
Jared, G. E. M.	A pragmatic approach to interactive assembly sequence evaluation	541–550
Jeon, Y. P.	Thixoforming process of a component with a non-circular type of metal matrix composite and its formability limitation	1265–1278
Jeon, Y. P.	Reheating process for thixoforging of metal matrix composites fabricated by induction heating and the mechanical stirring process	1383–1392
Jeswiet, J.	A review of conventional and modern single-point sheet metal forming methods	213–225
Jeswiet, J.	Automatic adjustment of cutting conditions in rough turning	1393–1400
Jeswiet, J.	Effect of wall angle of Al 3003 strain hardening for parts formed by computer numerical control incremental forming	1571–1579
Jiang, W.	Microplasma powder deposition as a new solid freeform fabrication process	1641–1650
Jin, T.	Estimation of the convection heat transfer coefficient of coolant within the grinding zone	397–407
Johnson, D. B.	Modelling of heat transfer in waterjet guided laser drilling of silicon	583–600
Jones, J. D. C.	Dynamic distortion measurements during laser forming of Ti–6Al–4V and their comparison with a finite element model	1685–1696
Junz Wang, J.-J.	Estimation of in-process cutting constants in ball-end milling	45–56
Kaldos, A.	Computer-based modelling of thermal distortions in turning	363–371
Kang, C. G.	The effect of process parameters on cell morphology in cellular aluminium alloy fabricated by powder compression and the induction heating process	201–211
Kang, C. G.	Thixoforming process of a component with a non-circular type of metal matrix composite and its formability limitation	1265–1278
Kang, C. G.	Reheating process for thixoforging of metal matrix composites fabricated by induction heating and the mechanical stirring process	1383–1392
Kathuria, Y. P.	Net shaping via aluminium foaming	193–199
Katz, Z.	Implementation aspects of intelligent machining	601–614
Kim, B. M.	Prediction of the wear profile of a roll groove in rod rolling using an incremental form of wear model	111–126
Kim, B. M.	Estimation of die service life in hot forging, considering lubricants and surface treatments	1011–1022
Kim, D.	Machinability of titanium alloy (Ti–6Al–4V) by abrasive waterjets	1709–1721
Kim, D. H.	Prediction of the wear profile of a roll groove in rod rolling using an incremental form of wear model	111–126
Kim, J. S.	Flatness adaptive control of a hot strip in finishing mills	1243–1252

© IMechE 2003

Kim, J.-W.	A study of a dual-electromagnetic sensor system for weld seam tracking of I-butt joints	1305–1314
Kim, J.-W.	A study on the numerical analysis of magnetic flux density by a solenoid for magnetically impelled arc butt welding	1401–1408
Kim, K. H.	Estimation of die service life in hot forging, considering lubricants and surface treatments	1011–1022
Kim, T.	Layout and sizing of ejector pins for injection mould design using the wavelet transform	463–473
Kim, T. J.	Recent trends in numerical simulation of three-dimensional sheet forming processes	1553–1570
Kochański, A.	Detection of causes of casting defects assisted by artificial neural networks	1279–1284
Korbaa, O.	Intra-cell machine layout associated with flexible production and transport systems	883–898
Kovacevic, R.	Numerical and experimental study of the heat transfer process in friction stir welding	73–85
Kovacevic, R.	Modelling and measuring the thermal behaviour of the molten pool in closed-loop controlled laser-based additive manufacturing	441–452
Kovacevic, R.	Modelling of heat transfer in waterjet guided laser drilling of silicon	583–600
Kovacevic, R.	Microplasma powder deposition as a new solid freeform fabrication process	1641–1650
Kozak, J.	Study of electrical discharge machining using powder-suspended working media	1597–1602
Kross, U.	Enhanced product functionality with life cycle units	1197–1202
Krukovsky, P. G.	Computer-based modelling of thermal distortions in turning	363–371
Kudla, L.	Machining of precise multihole perforation in punch-and-die tooling plates	1581–1587
Kumar, A.	Maximization of slice height with uniformity in surface roughness in the direct slicing of freeform surfaces	765–778
Kumar, R.	Scheduling of flexible manufacturing systems: an ant colony optimization approach	1443–1454
Kundrak, J.	Computer-based modelling of thermal distortions in turning	363–371
Kwak, S.	Layout and sizing of ejector pins for injection mould design using the wavelet transform	463–473
Lagarrigue, P.	Correction of milling tool paths by tool positioning defect compensation	1063–1074
Lai, H.-Y.	Quality assurance for concave-arc ball-end milling cutters	181–191
Lam, T. W.	Immobilization check for fixture design	499–512
Landon, Y.	Correction of milling tool paths by tool positioning defect compensation	1063–1074
Lee, A. H. C.	Immobilization check for fixture design	499–512
Lee, H. C.	Estimation of die service life in hot forging, considering lubricants and surface treatments	1011–1022
Lee, K.	Layout and sizing of ejector pins for injection mould design using the wavelet transform	463–473
Lee, T. C.	The effects of tool geometry change on shearing edge finish in fine-blanking of different materials	1057–1062
Lee, W. B.	Friction-induced fluctuation of cutting forces in the diamond turning of aluminium single crystals	615–632
Lee, W. B.	Computer-integrated optics design and tool path generation in virtual machining of aspheric surfaces	1285–1294
Lee, Y.	Prediction of the wear profile of a roll groove in rod rolling using an incremental form of wear model	111–126
Leleu, S.	A contribution to technological data estimation for concurrent engineering using geometrical control of net shape forming parts	661–668
Leung, Y. C.	The effects of tool geometry change on shearing edge finish in fine-blanking of different materials	1057–1062
Li, C.-F.	Modelling of heat transfer in waterjet guided laser drilling of silicon	583–600
Li, H. Z.	Analytical modelling of the milling process geometry based on the true tooth trajectory	1041–1046
Li, J. G.	Computer-integrated optics design and tool path generation in virtual machining of aspheric surfaces	1285–1294
Li, L.	Rapid prototyping using direct laser deposition—the effect of powder atomization type and flowrate	741–752
Li, L.	Three-dimensional transient finite element analysis of the laser enamelling process and moving heat source and phase change considerations	753–764
Li, L.	Finite element analysis for the prediction and optimization of residual stresses caused by laser enamelling	1085–1100
Li, W.	Resistence spot welding of aluminium and steel: a comparative experimental study	1355–1364
Li, X. P.	Analytical modelling of the milling process geometry based on the true tooth trajectory	1041–1046
Li, Z. Z.	An improved chip flow model considering cutting geometry variations based on the equivalent cutting edge method	1737–1745
Liao, Y. G.	A genetic algorithm-based fixture locating positions and clamping schemes optimization	1075–1084
Lierath, F.	Computer-based modelling of thermal distortions in turning	363–371
Liu, T.	Optimum control of process parameters in electrical upsetting	1259–1264
Liu, Z.-c.	Computer simulation of a workpiece temperature field during the grinding process	953–960

© IMechE 2003

Luis Perez, C. J.	Modelling the manufacturing parameters in electrical discharge machining of siliconized silicon carbide	791–804
Luo, T.	Optimum control of process parameters in electrical upsetting	1259–1264
Machado, A. R.	Burr formation in face milling of cast iron with different milling cutter systems	1589–1596
McIntosh, R. I.	Sustaining changeover improvement	1455–1470
McKay, K.	Dynamic and distributed early planning assessment by a hybrid simulated annealing and greedy algorithm	1429–1442
McKay, K. R.	Assessing the manufacturability of early product designs using aggregate process models	1203–1214
McKay, K. R.	An aggregate resource model for the provision of dynamic 'resource-aware' planning	1471–1480
McMahon, C.	The practical application of design risk assessment models	227–234
Malveira, N. V.	Determination of the formability of stainless steel sheets using the technological proofing method	1253–1258
Mansour, S.	Impact of rapid manufacturing on design for manufacture for injection moulding	453–461
Maropoulos, P. G.	Assessing the manufacturability of early product designs using aggregate process models	1203–1214
Maropoulos, P. G.	Dynamic and distributed early planning assessment by a hybrid simulated annealing and greedy algorithm	1429–1442
Maropoulos, P. G.	An aggregate resource model for the provision of dynamic 'resource-aware' planning	1471–1480
Martin, P.	A contribution to technological data estimation for concurrent engineering using geometrical control of net shape forming parts	661–668
Mativenga, P. T.	A study of cutting forces and surface finish in high-speed machining of AISI H13 tool steel using carbide tools with TiAlN based coatings	143–151
Mileham, A. R.	Sustaining changeover improvement	1455–1470
Mill, F.	Characterization and representation of non-ideal effects in electrochemical machining	373–385
Monfared, R. P.	An approach to modelling dependencies linking engineering processes	669–688
Moore, A. J.	Dynamic distortion measurements during laser forming of Ti–6Al–4V and their comparison with a finite element model	1685–1696
Moore, T. N.	Automatic adjustment of cutting conditions in rough turning	1393–1400
Mount, A. R.	Characterization and representation of non-ideal effects in electrochemical machining	373–385
Mousseigne, M.	Correction of milling tool paths by tool positioning defect compensation	1063–1074
Nakamura, T.	Pressure-based in-process measurement by the null method for automatic compensation of wheel wear during surface grinding	153–159
Naqvi, I. Z.	Laser heating including the phase change process and thermal stress generation in relation to drilling	977–992
Nariman-Zadeh, N.	Hybrid genetic design of GMDH-type neural networks using singular value decomposition for modelling and prediction of the explosive cutting process	779–790
Nasierowski, W.	The evaluation of technology change projects: literature overview and suggestions for further inquiry	1145–1156
Ni, J.	Bayesian approach to measurement scheme analysis in multistation machining systems	1117–1130
Niemi, E.	Nesting strategy for standard parts under variable demand	1421–1428
Nisar, A.	Three-dimensional transient finite element analysis of the laser enamelling process and moving heat source and phase change considerations	753–764
Nisar, A.	Finite element analysis for the prediction and optimization of residual stresses caused by laser enamelling	1085–1100
Ohdar, R. K.	Prediction of collapsibility of moulds and cores of CO_2 sands using a neural network	475–487
Ohguro, N.	Pressure-based in-process measurement by the null method for automatic compensation of wheel wear during surface grinding	153–159
Oliveira, M. J.	Optimization of the rotational moulding process for polyolefins	323–334
Ostafiev, D.	Multi-constraint optimization and cutting conditions selection in process planning turning operations with modern chip breaker tools	57–71
Owen, G. W.	Sustaining changeover improvement	1455–1470
Paris, H.	A model of milled surface generation for time domain simulation of high-speed cutting	919–930
Park, S.	Layout and sizing of ejector pins for injection mould design using the wavelet transform	463–473
Parkin, R.	A survey of virtual prototyping techniques for mechanical product development	513–530
Parkin, R. M.	Automatic gravure print feature determination at production speeds	1101–1110
Partington, R.	Total quality management versus business process re-engineering: a question of degree	1–10
Paul, S.	Maximization of slice height with uniformity in surface roughness in the direct slicing of freeform surfaces	765–778
Paul, S.	Turning of titanium alloy with TiB_2-coated carbides under cryogenic cooling	1697–1707
Pearce, T. R. A.	The ductile grinding of glass using diamond fibres oriented radially in a grinding wheel	387–396

© IMechE 2003

Peigné, G.	A model of milled surface generation for time domain simulation of high-speed cutting	919–930
Percoco, G.	Evaluation of rapid prototypes obtained from reverse engineering	1543–1552
Persianoff, R.	Comparison between an experimental study and a numerical model of the dynamic behaviour of machine–tool slideways	1111–1116
Perzyk, M.	Detection of causes of casting defects assisted by artificial neural networks	1279–1284
Phaal, R.	Technology roadmapping—developing a practical approach for linking resources to strategic goals	1183–1196
Pham, D. T.	Case-based generation of adaptive product manuals	313–322
Pinkerton, A. J.	Rapid prototyping using direct laser deposition—the effect of powder atomization type and flowrate	741–752
Pons, D. J.	Relative effectiveness of mechanisms for simulating uncertainty in quantitative systems	531–540
Prashanth, P. G.	Turning of titanium alloy with TiB_2-coated carbides under cryogenic cooling	1697–1707
Probert, D. R.	Technology roadmapping—developing a practical approach for linking resources to strategic goals	1183–1196
Puertas, I.	Modelling the manufacturing parameters in electrical discharge machining of siliconized silicon carbide	791–804
Pushp, P. T.	Prediction of collapsibility of moulds and cores of CO_2 sands using a neural network	475–487
Qin, Y.	Computer simulation of a workpiece temperature field during the grinding process	953–960
Rahman, M.	Performance evaluation of cryogenically treated tungsten carbide cutting tool inserts	29–43
Raine, J. K.	Relative effectiveness of mechanisms for simulating uncertainty in quantitative systems	531–540
Ramesh, K.	Ecological grinding with chilled air as coolant	409–419
Ramulu, M.	Machinability of titanium alloy (Ti–6Al–4V) by abrasive waterjets	1709–1721
Ray, P.	Comparison between an experimental study and a numerical model of the dynamic behaviour of machine–tool slideways	1111–1116
Reed, R. C.	Dynamic distortion measurements during laser forming of Ti–6Al–4V and their comparison with a finite element model	1685–1696
Reeves, M.	Dynamic distortion measurements during laser forming of Ti–6Al–4V and their comparison with a finite element model	1685–1696
Rogers, B.	Dynamic and distributed early planning assessment by a hybrid simulated annealing and greedy algorithm	1429–1442
Rogers, B.	An aggregate resource model for the provision of dynamic 'resource-aware' planning	1471–1480
Rolfe, B. F.	Using geometric shape variations to create an inverse model for a sheet metal process	1665–1675
Rowe, W. B.	Estimation of the convection heat transfer coefficient of coolant within the grinding zone	397–407
Roy Choudhury, A.	Maximization of slice height with uniformity in surface roughness in the direct slicing of freeform surfaces	765–778
Rozenek, M.	Study of electrical discharge machining using powder-suspended working media	1597–1602
Ruszaj, A.	Some aspects of the electrochemical machining process supported by electrode ultrasonic vibrations optimization	1365–1372
Sales, W. F.	Burr formation in face milling of cast iron with different milling cutter systems	1589–1596
Schaeffer, L.	Determination of the formability of stainless steel sheets using the technological proofing method	1253–1258
Schmidt, M. J. J.	Three-dimensional transient finite element analysis of the laser enamelling process and moving heat source and phase change considerations	753–764
Schmidt, M. J. J.	Finite element analysis for the prediction and optimization of residual stresses caused by laser enamelling	1085–1100
Schuh, G.	Concurrent metal stamping part and die development system	805–826
Seah, K. H. W.	Performance evaluation of cryogenically treated tungsten carbide cutting tool inserts	29–43
Seah, K. H. W.	Effect of high-rate heat transfer during casting on the strength, hardness and wear behaviour of aluminium–quartz particulate metal matrix composites	651–660
Segonds, S.	Correction of milling tool paths by tool positioning defect compensation	1063–1074
Sekhon, G. S.	Design and application of hybrid software for modelling die components and the die assembly	235–250
Seliger, G.	Enhanced product functionality with life cycle units	1197–1202
Seo, Y. W.	Machinability of titanium alloy (Ti–6Al–4V) by abrasive waterjets	1709–1721
Setchi, R. M.	Case-based generation of adaptive product manuals	313–322
Shankar, R.	Scheduling of flexible manufacturing systems: an ant colony optimization approach	1443–1454
Sharma, S. C.	Effect of high-rate heat transfer during casting on the strength, hardness and wear behaviour of aluminium–quartz particulate metal matrix composites	651–660
Sheikh, M. A.	Three-dimensional transient finite element analysis of the laser enamelling process and moving heat source and phase change considerations	753–764

© IMechE 2003

Sheikh, M. A.	Finite element analysis for the prediction and optimization of residual stresses caused by laser enamelling	1085–1100
Shin, J.-H.	A study of a dual-electromagnetic sensor system for weld seam tracking of I-butt joints	1305–1314
Silveria Netto, S. E.	Determination of the formability of stainless steel sheets using the technological proofing method	1253–1258
Simpson, G.	Development of a method for calculating the environmentally optimum lifespan of electrical household products	1521–1531
Sims Williams, J.	The practical application of design risk assessment models	227–234
Singh, R.	Design and application of hybrid software for modelling die components and the die assembly	235–250
Skrabalak, G.	Some aspects of the electrochemical machining process supported by electrode ultrasonic vibrations optimization	1365–1372
Smith, D. J.	The ductile grinding of glass using diamond fibres oriented radially in a grinding wheel	387–396
Smith, N. P.	The ductile grinding of glass using diamond fibres oriented radially in a grinding wheel	387–396
Song, M.	Numerical and experimental study of the heat transfer process in friction stir welding	73–85
Spina, R.	Evaluation of rapid prototypes obtained from reverse engineering	1543–1552
Stephenson, D. J.	Estimation of the convection heat transfer coefficient of coolant within the grinding zone	397–407
Sukaylo, V. A.	Computer-based modelling of thermal distortions in turning	363–371
Sun, Y.	Optimum control of process parameters in electrical upsetting	1259–1264
Swain, E.	Managing product development resources through the use of product quality attribute mapping	1229–1242
Swift, K. G.	A pragmatic approach to interactive assembly sequence evaluation	541–550
Swift, K. G.	Implementation strategies for design for manufacture methodologies	827–834
Sze, W. S.	Automatic redesign of assemblies for layered manufacturing	251–268
Tan, S. T.	Automatic redesign of assemblies for layered manufacturing	251–268
Tan, S. T.	A high-efficiency rough milling strategy for mould core machining	335–348
Tang, D.	Concurrent metal stamping part and die development system	805–826
Tannock, J. D. T.	A multicriteria model for cutting fluid evaluation	1341–1354
Tawade, R.	Turning of titanium alloy with TiB_2-coated carbides under cryogenic cooling	1697–1707
Tiwari, M. K.	Scheduling of flexible manufacturing systems: an ant colony optimization approach	1443–1454
To, S.	Friction-induced fluctuation of cutting forces in the diamond turning of aluminium single crystals	615–632
Toh, C. K.	Tool life and tool wear during high-speed rough milling using alternative cutter path strategies	1295–1304
Tong, C.	Flow analysis and nozzle-shape optimization for the cold-gas dynamic-spray process	1603–1613
Tosun, N.	Analysis of wire erosion and workpiece surface roughness in wire electrical discharge machining	633–642
Tsai, C.-H.	Formation of the breaking surface of alumina in laser cutting with a controlled fracture technique	489–497
Valant, M.	Microplasma powder deposition as a new solid freeform fabrication process	1641–1650
van Niekerk, T.	Implementation aspects of intelligent machining	601–614
Venugopal, K. A.	Turning of titanium alloy with TiB_2-coated carbides under cryogenic cooling	1697–1707
Vidal, O.	Comparison between an experimental study and a numerical model of the dynamic behaviour of machine–tool slideways	1111–1116
Wang, H.	Microplasma powder deposition as a new solid freeform fabrication process	1641–1650
Wang, L.	Computer simulation of a workpiece temperature field during the grinding process	953–960
Waterworth, S.	Total quality management versus business process re-engineering: a question of degree	1–10
Watkins, K. G.	Dynamic distortion measurements during laser forming of Ti–6Al–4V and their comparison with a finite element model	1685–1696
Wen, D. H.	An improved chip flow model considering cutting geometry variations based on the equivalent cutting edge method	1737–1745
West, G. A. W.	Using geometric shape variations to create an inverse model for a sheet metal process	1665–1675
Weston, R. H.	An approach to modelling dependencies linking engineering processes	669–688
Williams, A.	Total quality management versus business process re-engineering: a question of degree	1–10
Wong, T. N.	A high-efficiency rough milling strategy for mould core machining	335–348
Wright, C. S.	Processing conditions and mechanical properties of high-speed steel parts fabricated using direct selective laser sintering	1651–1663
Wright, I. C.	Decision making in conceptual engineering design: an empirical investigation	1215–1228
Wright, I. C.	Managing product development resources through the use of product quality attribute mapping	1229–1242

© IMechE 2003

Wu, J.	Automatic redesign of assemblies for layered manufacturing	251–268
Wu, L.	Numerical simulation of heat transfer and fluid flow in a double-sided gas–tungsten arc welding process	87–97
Wykes, C.	A survey of virtual prototyping techniques for mechanical product development	513–530
Xiong, Y.-L.	Distance function based algorithm for spatial straightness evaluation	931–940
Yang, D. Y.	Recent trends in numerical simulation of three-dimensional sheet forming processes	1553–1570
Yeo, S. H.	Ecological grinding with chilled air as coolant	409–419
Yi, J. J.	Flatness adaptive control of a hot strip in finishing mills	1243–1252
Yilbas, B. S.	Laser heating including the phase change process and thermal stress generation in relation to drilling	977–992
Yong, K. H.	Performance evaluation of cryogenically treated tungsten carbide cutting tool inserts	29–43
Yoo, S. J.	Prediction of the wear profile of a roll groove in rod rolling using an incremental form of wear model	111–126
Yoon, S. J.	Recent trends in numerical simulation of three-dimensional sheet forming processes	1553–1570
Youn, S. W.	The effect of process parameters on cell morphology in cellular aluminium alloy fabricated by powder compression and the induction heating process	201–211
Yu, K. M.	Immobilization check for fixture design	499–512
Yuen, W. Y. D.	The development of a fast and robust computer model for metal rolling	169–179
Yurdakul, M.	Development of a multi-attribute selection procedure for non-traditional machining processes	993–1010
Zhang, L.	An investigation of cutting forces in horizontal-mode peripheral milling of curved surfaces	961–976
Zhang, T.	Optimum control of process parameters in electrical upsetting	1259–1264
Zhang, Z.	Optimum control of process parameters in electrical upsetting	1259–1264
Zhang, Z.-H.	An investigation of cutting forces in horizontal-mode peripheral milling of curved surfaces	961–976
Zheng, C. M.	Estimation of in-process cutting constants in ball-end milling	45–56
Zheng, L.	An investigation of cutting forces in horizontal-mode peripheral milling of curved surfaces	961–976
Zheng, L.	An improved chip flow model considering cutting geometry variations based on the equivalent cutting edge method	1737–1745
Zhong, Z. W.	Ecological grinding with chilled air as coolant	409–419
Zhu, L.-M.	Distance function based algorithm for spatial straightness evaluation	931–940
Zorriassatine, F.	A survey of virtual prototyping techniques for mechanical product development	513–530
Żurek, R.	Some aspects of the electrochemical machining process supported by electrode ultrasonic vibrations optimization	1365–1372
Zybura, M.	Some aspects of the electrochemical machining process supported by electrode ultrasonic vibrations optimization	1365–1372

Short Communications in Manufacture and Design

Afzali, M.	Electroplating simulation and design tool	705–708
Al-Habaibeh, A.	An automated low-cost condition monitoring system for quality control of automotive speedometers	1763–1770
Al-Habaibeh, A.	Experimental design and investigation of a pin-type reconfigurable clamping system for manufacturing aerospace components	1771–1777
Andrén, L.	Active control of machine tool vibrations in external turning operations	869–872
Aomura, S.	Searching sheet metal parts based on bending process similarity	427–438
Basson, A. H.	Semi-automatic extraction of primitive geometric entities from unstructured point clouds	1491–1496
Baudisch, T.	Simulation environment for designing the dynamic motion behaviour of the mechatronic system machine tool	1031–1036
Bayes, T.	Genetic algorithms applied to leather lay plan material utilization	1753–1756
Boër, C. R.	Integrated flexible design and assembly system	843–848
Brient, A.	Influence of machining paths on hydro propeller performance	1757–1762
Britton, G. A.	Alternative design specifications of prismatic parts for manufacturability	569–572
Bubb, H.	Ergonomics and human reliability	1627–1632
Caine, M. P.	Design considerations for inspiratory muscle training systems	291–295
Chen, F. L.	Increasing cut surface quality with various cutting nozzle head oscillations for abrasive aquajet machining	1037–1040
Chiabra, P.	Integrated flexible design and assembly system	843–848

© IMechE 2003

Cho, C. H.	Drilling and deburring in a single process	1327–1332
Christodoulou, P.	Experimental studies on the accuracy of wax patterns used in investment casting	285–289
Claesson, I.	Active control of machine tool vibrations in external turning operations	869–872
Clay, P.	Genetic algorithms applied to leather lay plan material utilization	1753–1756
Corley, J.	Integrating 'lean' and 'high reliability' thinking	733–739
Crispin, A. J.	Genetic algorithms applied to leather lay plan material utilization	1753–1756
Deasley, P.	Integrating 'lean' and 'high reliability' thinking	733–739
De Pascale, G.	Integrated flexible design and assembly system	843–848
Dimov, S.	Tool-path generation system for micro-electro discharge machining milling	1633–1637
Dornfeld, D. A.	Drilling and deburring in a single process	1327–1332
Druesne, F.	Electroplating simulation and design tool	705–708
Dugas, A.	Development of a machining simulator considering machine behaviour	1333–1339
Dumitrescu, P.	A simple technique to characterize the role of work hardness in hard part machining	1485–1490
Dürr, H.	Contribution to the integration of the process: process planning competence in non-hierarchical production networks	873–878
Eastwood, S. J.	The use of the TI^2 manufacturing system on a double-curvature aerospace panel	849–856
Galantucci, L. M.	Telemanufacturing of reverse engineered parts: a case study	727–732
Gao, J. Q.	Vision-based measurement of weld pool geometry in constant-current gas tungsten arc welding	879–882
García-Bermejo, J. G.	An optimized strategy for automatic optical scanning of objects in reverse engineering	1167–1172
Georgiadou, M.	Optimization of trench filling during copper electrodeposition by additives and pulse plating	857–864
Giannakakis, T.	Reverse engineering of simple surfaces of unknown shape with touch probes: scanning and compensation issues	563–568
Gindy, N.	Experimental design and investigation of a pin-type reconfigurable clamping system for manufacturing aerospace components	1771–1777
Goussard, C. L.	Semi-automatic extraction of primitive geometric entities from unstructured point clouds	1491–1496
Håkansson, L.	Active control of machine tool vibrations in external turning operations	869–872
Han, L.	Mechatronic design of a flexible vibratory feeding system	837–842
Hascoët, J. Y.	Development of a machining simulator considering machine behaviour	1333–1339
Hascoët, J. Y.	Influence of machining paths on hydro propeller performance	1757–1762
Hock, T. S.	Experimental studies on the accuracy of wax patterns used in investment casting	285–289
Hwang, S.-M.	Swept volume with self-intersection for five-axis ball-end milling	1173–1178
Ivanov, A.	Tool-path generation system for micro-electro discharge machining milling	1633–1637
Jackson, M. J.	Laser micromachining of chromium-rich die steels under controlled atmospheres	553–562
Jared, G. E. M.	Complexity metrics for design (simplicity + simplicity = complexity)	721–726
Jeon, S. Y.	Drilling and deburring in a single process	1327–1332
Jones, R.	An exact method for the sphericity measurement of soccer balls	715–720
Jung, Y.-H.	Swept volume with self-intersection for five-axis ball-end milling	1173–1178
Junkar, M.	Simulation of abrasive waterjet machining based on unit event features	699–704
Kim, K. H.	Drilling and deburring in a single process	1327–1332
Koshy, P.	A simple technique to characterize the role of work hardness in hard part machining	1485–1490
Larizza, P.	Integrated flexible design and assembly system	843–848
Lebar, A.	Simulation of abrasive waterjet machining based on unit event features	699–704
Lee, J. J.	Development of a machining simulator considering machine behaviour	1333–1339
Lee, K.	Swept volume with self-intersection for five-axis ball-end milling	1173–1178
Lee, K.	Drilling and deburring in a single process	1327–1332
Levene, R.	Integrating 'lean' and 'high reliability' thinking	733–739
Lin, J.	Alternative design specifications of prismatic parts for manufacturability	569–572
Liu, X. F.	Vision-based measurement of weld pool geometry in constant-current gas tungsten arc welding	879–882
McKeown, C.	The use of the TI^2 manufacturing system on a double-curvature aerospace panel	849–856
Martineau, J. P.	Influence of machining paths on hydro propeller performance	1757–1762
Martins, F. A. R.	An optimized strategy for automatic optical scanning of objects in reverse engineering	1167–1172
Mehnert, J.	Contribution to the integration of the process: process planning competence in non-hierarchical production networks	873–878
Mills, B.	Laser micromachining of chromium-rich die steels under controlled atmospheres	553–562
Misaki, D.	Searching sheet metal parts based on bending process similarity	427–438
Neilson, P. J.	An exact method for the sphericity measurement of soccer balls	715–720
O'Neill, W.	Laser micromachining of chromium-rich die steels under controlled atmospheres	553–562

© IMechE 2003

Parkin, R. M.	An automated low-cost condition monitoring system for quality control of automotive speedometers	1763–1770
Parkin, R. M.	Experimental design and investigation of a pin-type reconfigurable clamping system for manufacturing aerospace components	1771–1777
Patel, K. J.	Increasing cut surface quality with various cutting nozzle head oscillations for abrasive aquajet machining	1037–1040
Pedrazzoli, P.	Integrated flexible design and assembly system	843–848
Perán, J. R.	An optimized strategy for automatic optical scanning of objects in reverse engineering	1167–1172
Percoco, G.	Telemanufacturing of reverse engineered parts: a case study	727–732
Pham, D. T.	Tool-path generation system for micro-electro discharge machining milling	1633–1637
Popov, K.	Tool-path generation system for micro-electro discharge machining milling	1633–1637
Prieto, P. A.	A novel method for early formal developments using computer aided design and rapid prototyping technology	695–698
Qin, S. F.	A novel method for early formal developments using computer aided design and rapid prototyping technology	695–698
Reedman, D.	Genetic algorithms applied to leather lay plan material utilization	1753–1756
Rinaldi, R.	Integrated flexible design and assembly system	843–848
Robinson, G. M.	Laser micromachining of chromium-rich die steels under controlled atmospheres	553–562
Rodríguez-Toro, C. A.	Complexity metrics for design (simplicity + simplicity = complexity)	721–726
Rowe, A.	Integrating 'lean' and 'high reliability' thinking	733–739
Smart, P. K.	Integrating 'lean' and 'high reliability' thinking	733–739
Smith, R. T.	Growing an ergonomics culture in manufacturing	1027–1030
So, B.-S.	Swept volume with self-intersection for five-axis ball-end milling	1173–1178
Spina, R.	Telemanufacturing of reverse engineered parts: a case study	727–732
Stelson, K. A.	Calculating cooling times for polymer injection moulding	709–714
Swift, K. G.	Complexity metrics for design (simplicity + simplicity = complexity)	721–726
Tate, S. J.	Complexity metrics for design (simplicity + simplicity = complexity)	721–726
Taylor, G. E.	Genetic algorithms applied to leather lay plan material utilization	1753–1756
Terrier, M.	Development of a machining simulator considering machine behaviour	1333–1339
Thimm, G.	Alternative design specifications of prismatic parts for manufacturability	569–572
Thimm, G.	Dimensioning of partially heat-treated parts with possible non-uniform shrinkage/expansion	865–868
Thomas, A. J.	Quality systems implementation in Welsh small- to medium-sized enterprises: a global comparison and a model for change	573–579
Toh, C. K.	A modified offset cutter path strategy for high-speed rough milling hardened steel	1161–1166
Tranfield, D.	Integrating 'lean' and 'high reliability' thinking	733–739
Trevor, S.	Experimental studies on the accuracy of wax patterns used in investment casting	285–289
Tso, S. K.	Mechatronic design of a flexible vibratory feeding system	837–842
Veyret, D.	Optimization of trench filling during copper electrodeposition by additives and pulse plating	857–864
Vosniakos, G. C.	Reverse engineering of simple surfaces of unknown shape with touch probes: scanning and compensation issues	563–568
Waller, T. M.	Design considerations for inspiratory muscle training systems	291–295
Webb, D.	Quality systems implementation in Welsh small- to medium-sized enterprises: a global comparison and a model for change	573–579
Webb, P.	The use of the TI^2 manufacturing system on a double-curvature aerospace panel	849–856
Wilcox, A.	Design considerations for inspiratory muscle training systems	291–295
Wright, D. K.	A novel method for early formal developments using computer aided design and rapid prototyping technology	695–698
Wu, C. S.	Vision-based measurement of weld pool geometry in constant-current gas tungsten arc welding	879–882
Yarlagadda, P. K. D. V.	Experimental studies on the accuracy of wax patterns used in investment casting	285–289
Zaeh, M. F.	Simulation environment for designing the dynamic motion behaviour of the mechatronic system machine tool	1031–1036
Zalama, E.	An optimized strategy for automatic optical scanning of objects in reverse engineering	1167–1172
Zhao, Y. H.	Vision-based measurement of weld pool geometry in constant-current gas tungsten arc welding	879–882

© IMechE 2003